

管線 (一對多系統)

選擇“管線設定”

顯示管道系統圖

Outdoor unit data

Name	Comments	Refrigerant	Model	Type	Model	PS
Otdr1		R410A		2 Rooms Multi System	AOYG14LAC2	1φ, 230V, 50Hz

Capacity

Cooling	Heating
4.00 kW	4.40 kW

Indoor connect count 2

Outdoor temp. Cooling 35.0C Heating 7.0C

Indoor temperature Cooling 27.0C Heating 20.0C

Piping

Total pipe length 10.0m

Piping

Unit B → 0.0m 5.0m 6.35x9.52

Unit A → 0.0m 5.0m 6.35x9.52

Indr1 ASYG07LMCA

Indr2 ASYG07LMCA


Otdr1 AOYG14LAC2

Total pipe length 10.0 m (Max:30.0 m)


Additional refrigerant 0.00 kg (Max:0.10 kg)

Total Refrigerant



冷媒系統的決定(一對多系統)



點選冷媒系統



點選冷媒系統
不能在每個螢幕上編輯



管線(多組-多聯系統)

Outdoor unit

File Preference Tool Help Update

Outdoor unit Piping Wiring

Outdoor unit data

Name Otdr1

Comments

Refrigerant R410A

Model

Type Simultaneous multi 3 phase Triple type

Model AOYG54LATT

PS 3N, 400V, 50Hz

Capacity Cooling 14.00 kW Heating 16.00 kW

Indoor connect count 3

Outdoor temp. Cooling 35.0C Heating 7.0C

Indoor temperature Cooling 27.0C Heating 20.0C

Piping

Total pipe length 75.0m

Actual capacity

Cooling / Heating

Otdr1 AOYG

Indr1

TC

SC 2.73 kW

選擇“管線設定”

顯示管線系統圖

Piping

File Preference Tool Help Update

District : Europe

Outdoor unit Piping Wiring Report Menu

Otdr1 AOYG54LATT

30.0m 9.52x15.88 UTP-SX354

10.0m 15.0m 6.35x12.70

10.0m 15.0m 6.35x12.70

10.0m 15.0m 6.35x12.70

Otdr1 AOYG54LATT

Indr1 AUYG18LVLB

Indr2 AUYG18LVLB

Indr3 AUYG18LVLB

Total pipe length 75.0 m (Max:75.0 m)

Additional refrigerant 1.35 kg (Max:2.25 kg)

Total Refrigerant

