


Prenosni vod




Izaberite "Kabliranje"

Izaberite "Prenosni vod"

: Transmission line

: Remote controller line



Strujni vod

Izaberite "Kabiranje"

Izaberite "Strujni vod"


... : Power line

Outdoor Breaker/MCA Diameter

Indoor, RB unit MCA Diameter

Total power line Breaker MCA Voltage-Hz

Grupisanje(1/2)




“Celokupan strujni vod /
Pojedinačni strujni vod” sa
“preferencom” može se uređivati


Izaberite unutrašnju jedinicu

Izaberite “Zajednički daljinski
upravljač”

Automatski kreirate grupnu
vezu daljinskog upravljača



Grupisanje(2/2)




Izaberite “Vratiti se korak nazad / prihvatite / otkażite kombinaciju”

Izaberite “Otkażite kombinaciju”


Izaberite “unutrašnja jedinica”

Polje za potvrdu




Izabrani sistem rashladnog fluida se ne može menjati

Brisanje




Izaberite daljinski upravljač


Izaberite “Obrišite daljinski upravljač”




Automatsko brisanje daljinskog upravljača, promenite plavu liniju.



Podešavanje adrese




Izaberite ako se koristi “Auto Adresa”




Izaberite ako je “daljinski upravljač” neophodan

Opcije




Izaberite unutrašnju
jedinicu

Izaberite "Opcije"



Otvorite ekran sa opcijama.



Opcije

Wiring

File Edit View Help

Used option

Indoor Outdoor Other

Number	Indoor	Gr	RC Line
1	Indr1 AUXB07GALH	1	2
2	Indr2 AUXB07GALH	1	2
3	Indr3 AUXA30GALH	1	2
4	Indr4 AUXB14GALH	1	2
5	Indr5 AUXB14GALH	-	2
6	Indr6 AUXB14GALH	-	2
7	Indr7 AUXB14GALH	-	2
8	Indr8 AUXB14GALH	-	2
9	Indr9 AUXB14GALH	-	2
10	Indr10 AUXB14GALH	-	2

Indr5 AUXB14GALH

Remote controller1
Wired RC(Touch)

Remote controller2
Simple RC 2-Wire(With operation mode)

Allowed options

- ☒ Air outlet shutter plate
- ☐ External switch controller(TEOX)
- ☒ Insulation kit for high humidity
- ☒ Fresh air intake kit
- ☐ External connect kit(XWZXZ7)
- ☐ External connect kit(XWZXZB)
- ☐ External connect kit(XWZXZC)
- ☐ External connect kit(XWZXZD)

Selected options

Name	Model number	Quantity
Air outlet shutter plate	UTR-YDZB	1
Insulation kit for high humidity	UTZ-KXGC	1
Fresh air intake kit	UTZ-VXAA	1

Reset OK Cancel

Izaberite daljinski upravljač
Ne mogu se kombinovati
dvožilni trožilni kablovi
Ako se kombinuju dolazi do
greške


Izaberite opcione delove

Unesite količinu

Pritisnite "Reset" da
biste se vratili na
podrazumevanu
vrednost

Izabrane opcije su prikazane u "Izveštaju"

Korišćene opcije




Izaberite opcione delove

Izabrani "Opcioni delovi" su izabrani.

Izabrane opcije su prikazane u "Izveštaju"

Korišćene opcije




Izaberite opcione delove


Prikazuje se samo model opcije koja odgovara.

Izabrane opcije su prikazane u "Izveštaju"

Korišćene opcije



Izaberite “Korišćene opcije”



Otvorite korisničke opcije
(rashladni fluid)

User options(Refrigerant)

Inside classification
A1

Small classification
A11

User option
☒ A112
☒ A113

Selected user options

User Option item	Quantity
A112	1
A113	1
111	1

Each

Device model name	Quantity
AUXA30GALH	1
AUXB07GALH	2
AUXB14GALH	7

OK Cancel

Korisnička opcija (rashladni fluid)

Inside classification

A1

Small classification

A11

User option

☒ A112

☒ A113

Selected user options

User Option item	Quantity
A112	1
A113	1

Each

Device model name

AUXA30GALH	
AUXB07GALH	2
AUXB14GALH	7

OK

Cancel

Izaberite "Zasebno ili Grupisano"
Prikazani sadržaj se menja

Izaberite "Unutrašnja klasifikacija"

Izaberite "detaljniju klasifikaciju"

Izaberite "Korisničke opcije"

Izaberite "Korisničke opcije"

Izabrane opcije su prikazane u "Izveštaju"