




Izaberite “kabiranje”



Kreiranje dijagrama kabiranja





Određivanje sistema rashladnog fluida




Izaberite sistem rashladnog fluida


Izabrani sistem rashladnog fluida ne može se uređivati na svakom ekranu




Opcije



Izaberite "Opcije"



Otvorite ekran sa opcijama.



Korišćene opcije(1/2)

Used option

Indoor Outdoor Other

Number	Indoor	Gr	RC Line
1	Indr1 AUYG14LVLB	-	0

Indr1 AUYG14LVLB

Remote controller1
Wireless RC(Accessory)

Remote controller2

Allowed options

- ☒ Air outlet shutter plate
- ☒ Insulation kit for high humidity
- ☒ Fresh air intake kit
- ☐ External connect kit
- ☐ KNX Interface
- ☐ MODBUS Interface

Selected options

Name	Model number	Quantity
Air outlet shutter plate	UTR-YDZB	1
Insulation kit for high humidity	UTZ-KXGC	1
Fresh air intake kit	UTZ-VXAA	1

Reset OK Cancel


Izaberite daljinski upravljač

Izaberite opcione delove


Prikazan je samo model opcije koji odgovara.

Izabrane opcije su prikazane u "Izveštaju".


Korišćene opcije (2/2)



Izaberite “Korisničke opcije”



Izaberite korisničke opcije
(rashladni fluid)



Korisnička opcija (rashladni fluid)

User options(Refrigerant)

Inside classification
A1

Small classification
A11

User option

☒ A111
☒ A112
☐ A113

Selected user options

User Option item	Quantity
A111	1
A112	1

Each

Device model name	Quantity
AUYG14LVLB	1

OK

Cancel

Izaberite "Zasebno ili Grupisano"

Izaberite "Unutrašnja klasifikacija"

Izaberite "detaljniju klasifikaciju"

Izaberite "Korisničke opcije"

Unesite "Količinu"

Izabrane opcije su prikazane u "Izveštaju".